



## King County

### Department of Development and Environmental Services

900 Oakesdale Avenue Southwest  
Renton, Washington 98057-5212  
**206-296-6600** TTY 206-296-7217

Web date: 06/28/2007

## CONVERSION OPTION HARVEST PLAN SITE PLAN REQUIREMENTS

For alternate formats, call 206-296-6600.

- Timber harvesting plan to include percent tree or volume removal, logging equipment proposed, internal road layout, seasonal scheduling, yarding configuration, slash-disposal methods.
- Revegetation plan for all logged/disturbed areas.
- Haul routes for truck traffic and heavy equipment usage between project site and main arterials.
- Legal description of the property, including tax parcel number(s); this information is available from King County Department of Assessments.
- A north arrow must be depicted.
- A vicinity map drawn to a scale of approximately 1"=2000' in sufficient detail to clearly locate the project in relation to arterial streets, natural features, landmarks, and municipal boundaries.
- A sub-basin map showing the location of the project and its relation to nearby natural and constructed drainage features.
- Size and location of all existing improvements within 50 feet of the project.
- Property boundaries, easements, covenants, setback requirements, and clearing limits.
- Erosion-sedimentation control and revegetation plans, including topography at 5-foot maximum contour intervals. Contours should extend 100-feet beyond the project boundaries.
- Identify on plans all critical areas and buffers having clearing limitations—erosion hazards, wetlands, aquatic areas, steep slopes, and landslide hazards.
- The plans required above must be prepared in accordance with King County Codes 16.82, 21A.24, and 9.04. Unless otherwise directed, plans scale shall be as specified below:
  - If landslide or steep slope hazards, wetlands, aquatic areas, or floodplains are located on the project site, the scale shall be 1"=20'.
  - If erosion hazards are located on the project site, the scale shall be 1"=100'.
  - If clearing is proposed outside of critical areas or within special zoning conditions not otherwise subject to the restrictions above, the scale shall be 1"=100'.

**Check out the DDES Web site at [www.kingcounty.gov/permits](http://www.kingcounty.gov/permits)**